

Create your own work of art.



panDOMO



panDOMO



Design a unique floor of any  
colour and pattern.




# panDOMO

Your design, unique, infinite.

PANDOMO will change the way you think about floor design – it allows you to create your vision. You can incorporate colours exactly the way you want, create shades, graining or other effects.

What counts is your idea. We supply the material to turn your idea into reality. Each time the result of this interaction is a unique product – as unique as the inspiration which created it.

PANDOMO has the natural appearance of stone slab without any joints. Allowing the design of seamless floors stretching wall to wall or incorporating striking visual effects with company logos, colours or themes, PANDOMO is the modern system for floor design.








Make your vision a reality.



It's like an artist's palette for  
architects and interior designers.





As many design possibilities  
as you need.






# panDOMO

## Advanced, seamless, versatile.

It is more than just a matter of colour and surface. You can incorporate other materials and elements, opening up infinite possibilities for an integral joint free surface.

Applied as a free flowing liquid, each pour is successively blended turning your design vision into reality. Here is the future, freedom to design smooth seamless joint free floors small and large.

With surface finishes from matt to gloss, PANDOMO is perfect for exhibitions, shops, foyers, offices, restaurants and residential interior floors.






## Technical Data



### **PANDOMO Self Levelling Compound**

The raw material in PANDOMO is ARDEX's advanced Ardurapid self levelling compound and colour dyes. Ardurapid technology chemically utilises the mix water in building a reinforced crystalline structure guaranteeing a shrinkage free high strength floor.

Thickness	5-10mm
Walkable	3 hours
Compressive Strength	30 MPa (28 days)
Flexural Strength	8.5 MPa (28 days)
Ball Hardness	80 MPa (28 days)
Tensile Strength	8.5 MPa (28 days)



# An innovative and contemporary product.

ARDEX works with architects, industry professions and trained PANDOMO specialists to ensure each unique floor captures the atmosphere envisaged by the designer.

For more information in Australia call 1800 224 070 or in New Zealand 03 384 3029 to schedule a consultation with your ARDEX architectural advisor and obtain your PANDOMO Design Kit.



panDOMO





ARDEX Australia Pty Ltd  
20 Powers Rd  
Seven Hills NSW 2147  
P 1800 224 070  
F 02 9674 5621  
techinfo@ardexaustralia.com  
www.ardex.com

ARDEX New Zealand Ltd  
32 Lane St, Woolston  
Christchurch, New Zealand  
P 03 384 3029  
F 03 384 9779  
techinfo@ardexaustralia.com  
www.ardex.com